CHOOSE THE VERSATILE K3300 SERIES THAT WORKS AT THE SPEED OF BUSINESS

Configurations & Options

1
2

- Control Panel
- 7.0-inch LCD Touchscreen

- Paper Tray

3

- Front Cover
- Toner Cartridge

- Side Cover

1 Choose one

- **Inner Finisher**
  * Inner Finisher for K3300

OR

- **Job Separator**

2

- **Wireless/NFC Kit** (Option, SL-NWE001X)
- **FDI Port**
- **Fax Kit**
- **Hard Disk** * HDD for Mono model

3 Choose one

- **Cabinet**

OR

- **DCF** (520 x 2)

* Compatible with K4350 series | * Inner Finisher needs staples and a punch kit additionally.

SAMSUNG

---

multiXpress

Multifunction
SL-K3300 Series

Performance and savings you need.

Reliability you can trust.

Compatible with Windows®7 | Windows 8 Compatible | ENERGY STAR | mopria ALLIANCE

MultiXpress K3300NR

A3 MONO MULTIFUNTION PRINTERS WITH ROBUST HARDWARE SUPPORT REALIABLE WORKFLOW

Overview

Samsung's K3300 Series A3 mono multifunction printer (MFP) delivers exceptional business performance, reliability and savings for SMBs. Its fast 1 GHz dual-core processor, high scan speed and superior graphic quality keep you business ready. And its 7" capacitive touchscreen (TSP) and Active NFC make printing smarter and easier, both in the office and on the go. It also features robust security and industry-leading monthly duty cycle for top-notch reliability, plus the performance of Samsung MultiXpress MX4 but at a lower cost.

For dealers, K3300 Series offers an ideal business model. NFC Pro helps you effectively support your customers' business mobility performance and Bring Your Own Device (BYOD) needs with anywhere mobile printing. You can also quickly respond to your customers' service requests using the Samsung Smart Printer Diagnostic System (SPDS) application to maintain reliable print operations. Most importantly, K3300 Series shares service parts with MX4 to help lower your management and maintenance costs.

Key benefits

Boost productivity with fast, high-quality prints and scans

- Faster printing speed with powerful CPU
- Crisper, clearer results with Samsung technology
- Industry-best monthly duty cycle

Smart device management with more solutions on a highly sensitive touchscreen

- Print from Anywhere, Share with others
- Tap to print NFC technology
- Easy to operate user interface

Breathe easy with health and energy-efficient, yet secure printing

- Stay worry-free from failure, security risk and downtime
- Cut operational costs with shared options and parts
- Simplify printer troubleshooting and maintenance with SPDS

NFC Pro function is available with a **wireless/NFC kit**

BOOST PRODUCTIVITY WITH FAST, HIGH-QUALITY PRINTS AND SCANS

Faster printing speed with powerful CPU

The 1Ghz dual core processor and 1.5GB memory guarantees faster printing, speedy scanning and enhanced productivity.

1GHz DUAL-CORE CPU
Fast print speed
Up to 30 ppm

Crisper, clearer results with Samsung technology

Samsung's unique Rendering Engine for Clean Page (ReCP) technology improves the quality and vibrancy of your color printing by sharpening both graphics and text automatically.

ReCP

Industry-best monthly duty cycle

With a best-in-class monthly duty cycle of up to 80,000 pages, the Samsung K3300 combines low operating expenses with reliable performance.

Up to
80,000
pages

SMART DEVICE MANAGEMENT WITH MORE SOLUTIONS ON A HIGHLY SENSITIVE TOUCHSCREEN

Print from Anywhere, Share with others

Print documents on the go and share them with anyone. Save and share to the cloud without a PC or printer driver with convenient mobile printing solutions such as Google Cloud Print™, AirPrint™, Mopria® and Samsung Cloud Print™.

Tap to print NFC technology

Simply tap to print, scan or fax documents with advanced NFC technology from any supported mobile device. The wireless option with Active NFC provides user authentication through a mobile device.

NFC Pro function is available with an wireless/NFC kit

Easy to operate user interface

Operating a printer has never been easier with a 7-inch capacitive touchscreen for intuitive, smartphone-like usability.


BREATHE EASY WITH HEALTH AND ENERGY–EFFICIENT, YET SECURE PRINTING

Stay worry-free from failure, security risk and downtime

The Samsung K3300 offers industry-best control of user, document and network access at the enterprise security level. It supports authentication, print job protection, network security and protocols and hard disk protection, while enabling administrators to manage the control panel and printing privileges.

Authentication   Access Control   Job Protection   Network Security / Protocol   Hard Disk Protection

Cut operational costs with shared options and parts

Shared options and Parts

K3300 Series   K4350 Series

Enjoy cost-efficient printing operations by sharing options and service parts within the K4350. These options include the Inner Finisher, Punch Kit, Fax, Dual Cassette Feeder, Stand, Wireless/NFC, Developer Unit (Mono), Tray and Roller.

* Compatible with K4350
* Inner Finisher requires additional staples and a punch kit.

Simplify printer troubleshooting and maintenance with SPDS

Keep your Samsung K3300 and business up and running with the Samsung Smart Printer Diagnostic System App. This printer error diagnostic tool provides easy on-site servicing with easy-to-follow image and video manuals.

SAMSUNG MULTIFUNCTION PRINTER
multiXpress K3300 Series

Specifications

General

Processor	1 GHz (Dual Core)
Operational Panel	7" Color Touch-Panel LCD, 800 x 480 (WVGA)
Memory	1.5 GB
Hard Disk Drive	320 GB or higher / User Available Space: 300 GB
Interface (Standard)	High Speed USB 2.0 Device/Host, Ethernet 10/100/1000 BASE TX
Interface (Optional)	IEEE 802.11 b/g/n + NFC Active Type
Power Consumption	Max 1.75 kW (Ready: 100 Wh, Sleep: 1.5 W)
Dimension (WxDxH)	566 x 620 x 820 mm (22.3" x 24.4" x 32.3")
Max Dimension (WxDxH)	566 x 620 x 1,080 mm (22.3" x 24.4" x 42.5")
Weight	60.9 kg (134.26 lb)
Max. Monthly Duty Cycle	- K3250NR: 60,000 Pages - K3300NR: 80,000 Pages
Network Security	SSL/TLS, IPsec, SNMPv3, Protocol & Port Management, IPv6, IP/MAC Filtering, IEEE 802.1x

Print

Speed (Mono)	- K3250NR: 25 ppm in A4/Letter - K3300NR: 30 ppm in A4/Letter
Resolution	1,200 x 1,200 dpi with reduced speed
Print Languages	PCL5e, PCL6, PostScript3, PDF V1.7
Client OS Support	Windows: Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1 (32/64 bit), 2012 Server (64 bit), 2012 Server R2 (64 bit) / Mac OS 10.6~10.10 / Linux: Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1 ,13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Debian 6, 7 / Mint 13, 14, 15, 16, 17 / Unix: Sun Solaris 9, 10, 11 (x86, SPARC) / HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium) / IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC)
Network Protocols	IP Management (DHCP, BOOTP, AutoIP, SetIP, Static) / Discovery Protocol (SLP, UPnP, Bonjour, DNS, WINS) / Printing Protocol (TCP/IP, LPR, IPP, WSD) / Management Protocol (SNMPv1.2, SNMP3, POP3, SMTP, Telnet) / Scan Protocol (SMTP, FTP, SMB, WSD) / Security Protocol (SMB, Kerberos, LDAP, IPsec, EAP)

Scan

Speed (Mono / Color)	45 / 45 ipm (300 dpi / A4 / Letter)
Compatibility	Network TWAIN, Network SANE
Resolution (Optical)	600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, HDD, DFS, USB, WSD, PC

Copy

Speed (Mono)	- K3250NR: 25 ppm in A4/Letter - K3300NR: 30 ppm in A4/Letter
First Copy Out Time (Mono)	- K3250NR: 6.2 seconds (in Ready Mode) - K3300NR: 5.5 seconds (in Ready Mode)
Resolution	600 x 600 dpi
Reduce / Enlarge Range	25% - 400%
Multi Copy	9,999 Pages
Copy Features	ID Copy / N-up / Booklet / Image Repeat / Auto Fit / Book Copy / Poster Copy / Watermark / Image Overlay / Stamp / Covers / Job Build / Preview / Erase Edge / Image Shift / Image Adjustment / Background Adjustment

Fax

Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 kbps
Resolution	Up to 600 x 600 dpi (Mono)
Features	Speed Dial / Group Dial / On-hook Dial / Auto Redial / Caller ID / Secure Reception / Fax forwarding, etc.

Paper Handling

Input Capacity (Cassette)	1,040 Sheets
Input Capacity (Maximum)	2,180 Sheets (1,140-Sheet Standard + 1,040-Sheet Optional DCF)
Input Capacity (Multipurpose Tray)	100 Sheets
Input Capacity (Other Options)	520-Sheet Optional Cassette x 2
Media Type (Cassette)	Plain Paper / Thin Paper / Bond / Punched / Pre-Printed / Recycled / Label / CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight/ Extra Heavy Weight
Media Type (Multipurpose Tray)	Plain / Thin / Bond / Hole Punched / Pre-Printed / Recycled / Label / Thin CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight / Envelope
Media Type (Other Options)	Plain Paper / Thin Paper / Bond / Punched / Pre-Printed / Recycled / Label / CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight/ Extra Heavy Weight
Media Size (Cassette)	Cassette 1: 148 x 210 mm~297 x 354 mm(5.8" x 8.2"~11.7" x 14") / Cassette 2: 148 x 210 mm~297 x 432 mm (5.8" x 8.2"~11.7" x 17")
Media Size (Multipurpose Tray)	98 x 148 mm~297 x 432 mm (3.8" x 5.8" ~11.7" x 17")
Media Size (Other Options)	148 x 210 mm~297 x 432 mm (5.8" x 8.2"~11.7" x 17")
Media Weights (Cassette)	Plain Paper: 70~90 g/m2 (18.5~24 lb/Dupl) / Thick Paper: 91~105 g/m2 (25~28 lb/Dupl) / Heavy Weight Paper: 106~176 g/m2 (Dupl) / Extra Heavy Weight 1 Paper: 177~220 g/m2 / Thin Paper: 60~69 g/m2 (16~19 lb/Dupl) / Cotton paper: 75~90 g/m2 (Dupl) / Colored: 75~90 g/m2 (Dupl) / Pre-Printed: 75~90 g/m2 (Dupl) / Recycled: 60~90 g/m2 (Dupl) / Bond Paper: 105~120 g/m2 (Dupl) / Letterhead: 75~90 g/m2 (Dupl) / Hole Punched Paper: 75~90 g/m2 (Dupl) / Thin CardStock: 106~163 g/m2 (Dupl) / Thin Glossy: 106~163 g/m2 (Duplex)
Media Weights (Multipurpose Tray)	16~47 lb (60 to 176 g/m2): Simplex, Duplex / Envelope (75~90 g/m2) / Label (120~150 g/m2): Simplex
Media Weights (Other Options)	Plain Paper: 70~90 g/m² (18.5~24 lb/Dupl) / Thick Paper: 91~105 g/m² (25~28 lb/Dupl) / Heavy Weight Paper: 106~176 g/m² (Dupl) / Extra Heavy Weight 1 Paper: 177~220 g/m² / Thin Paper: 60~69 g/m² (16~19 lb/Dupl) / Cotton paper: 75~90 g/m² (Dupl) / Colored: 75~90 g/m² (Dupl) / Pre-Printed: 75~90 g/m² (Dupl) / Recycled: 60~90 g/m² (Dupl) / Bond Paper: 105~120 g/m² (Dupl) / Letterhead: 75~90 g/m² (Dupl) / Hole Punched Paper: 75~90 g/m² (Dupl) / Thin CardStock: 106~163 g/m² (Dupl) / Thin Glossy: 106~163 g/m² (Duplex)

Supplies

Toner (Black)	25,000 pages (6% Coverage)
Imaging Unit/Drum (Black)	100,000 pages
Waste Toner Container	100,000 pages

Options

	Inner Finisher (SL-FIN501L), Job Separator (SL-JSP500S), Cabinet Stand, Dual Cassette Feeder, Fax Kit, FDI Kit, Wireless/NFC Kit

* Inner Finisher is only available for K3300NR.